

### Search Results -

Term	Documents
CAMERA\$1	0
CAMERA.DWPI,TDBD,EPAB,JPAB,USPT.	313760
CAMERAA.DWPI,TDBD,EPAB,JPAB,USPT.	8
CAMERAC.DWPI,TDBD,EPAB,JPAB,USPT.	1
CAMERAD.DWPI,TDBD,EPAB,JPAB,USPT.	1
CAMERAE.DWPI,TDBD,EPAB,JPAB,USPT.	13
CAMERAL.DWPI,TDBD,EPAB,JPAB,USPT.	311
CAMERAM.DWPI,TDBD,EPAB,JPAB,USPT.	1
CAMERAN DWPI,TDBD,EPAB,JPAB,USPT.	2
CAMERAS.DWPI,TDBD,EPAB,JPAB,USPT.	51575
(L23 AND (CAMERA\$1 OR CCD\$1) ).USPT,JPAB,EPAB,DWPI,TDBD.	0

There are more results than shown above. Click here to view the entire set.

	US Patents Full-Text Database	_
	JPO Abstracts Database EPO Abstracts Database	
	Derwent World Patents Index	
Database:	IBM Technical Disclosure Bulletins	I

Refine Search:   Clear  Clear
Search History

Today's Date: 1/3/2001






# Freeform Search

Database:	***************************************		▼	
Term:	117 and (ne or processo	etwork or databa or)	ise or server o	or computer _
Display: Generate:	_	ents in <u>Display Fo</u> Hit Count () II	***************************************	arting with Number 1
	Search	Clear Help	Logout	Interrupt
	Main Menu	Show S Numbers	Edit S Numbers	Preferences

Today's Date: 1/2/2001





# PALM INTRANET.

Day: Wednesday Date: 1/3/2001 Time: 09:04:53

### **Inventor Name Search Result**

Your Search was:

Last Name = DEKOCK

First Name = BRUCE

Serial#	Patent#	Status	Date Filed	Title	Inventor Name
09550476	Not Issued	30	{ <b> </b>	SYSTEM FOR PROVIDING TRAFFIC INFORMATION	DEKOCK , BRUCE W.
60130399	Not Issued	159		SYSTEM FOR PROVIDING TRAFFIC INFORMATION	DEKOCK , BRUCE W.
60166868	Not Issued	159		SYSTEM FOR PROVIDING TRAFFIC INFORMATION	DEKOCK , BRUCE W.
60189913	Not Issued	2	03/16/2000	SYSTEM FOR PROVIDING TRAFFIC INFORMATION	DEKOCK , BRUCE W.

Inventor Search Completed: No more records to search.

	Last Name	First Name	
Search Another:	DEKOCK	BRUCE	
Inventor		Search	oud

(To Go BACK Use BACK Button on Your BROWSER Tool Bar)

Back to || PALM || ASSIGNMENT || OASIS || Home Page



# Freeform Search

Database:	US Patents Full-Text Database  JPO Abstracts Database  EPO Abstracts Database  Derwent World Patents Index  IBM Technical Disclosure Bulletins
Term:	
Display: Generate:	Documents in <u>Display Format</u> : TI Starting with Number 1  Hit List  Hit Count  Image
	Search Clear Help Logout Interrupt
	Main Menu Show S Numbers Edit S Numbers Preferences

### **Search History**

Today's Date: 1/3/2001

LICHT IDAD EDAD DUMI TEDED	
USPT,JPAB,EPAB,DWPI,TDBD 110 and transmi\$5 534 <u>L1</u>	<u>l</u>
19 and ((display\$3) near7 (traffic USPT,JPAB,EPAB,DWPI,TDBD information\$1 or text\$1 or image\$ or 1047 \(\frac{1}{2}\) message\$1))	<u>)</u>
USPT,JPAB,EPAB,DWPI,TDBD traffic information\$1 4124 LG	
USPT 11 and display\$3 1 <u>Ls</u>	
USPT l6 and (traffic\$1 condition\$1) 1 LT	
USPT l1 and (mobil\$1 unit\$1) 1 Le	
USPT l4 and request\$3 1 L5	
USPT 11 and monitor\$3 1 L4	
USPT l1 and (ccd or camera\$1) 0 <u>L3</u>	
USPT 11 and (ccd or camera) 0 <u>L2</u>	
USPT 5959577.pn. 1 <u>L1</u>	

## WEST

#### **End of Result Set**

Generate Collection

L15: Entry 5 of 5

File: JPAB

Nov 9, 1999

PUB-NO: JP411313215A

DOCUMENT-IDENTIFIER: JP 11313215 A

TITLE: IMAGE DATA TRANSMITTER AND IMAGE DATA DISTRIBUTION SYSTEM

PUBN-DATE: November 9, 1999

INVENTOR-INFORMATION:

NAME COUNTRY

SUZUKI, SEIICHI N/A SATO, ATSUSHI N/A

YAMAKAWA, HIROYUKI N/A

ASSIGNEE-INFORMATION:

NAME COUNTRY

AQUEOUS RESERCH: KK N/A

APPL-NO: JP10131421

APPL-DATE: April 24, 1998

INT-CL (IPC): H04N 1/48; G08G 1/01; G08G 1/04

#### ABSTRACT:

PROBLEM TO BE SOLVED: To provide the <u>image data distribution</u> system that displays an <u>image</u> with excellent color reproducibility.

SOLUTION: The image distribution system is provided with a traffic information display device, a base station, a video transmitter 25 to which image request data are sent from the traffic information display device via the base station, and a CCD camera 23a that picks up an image based on a control signal from the video transmitter 25. Upon the receipt of the image request data, a switch 252 of the image transmitter 25 is used to apply a power supply 231 of the CCD camera 23a again. A white balance adjustment section 233 of the CCD camera 23a sets white balance again at application of power. Thus, an object is photographed while the white balance is adjusted in matching with a color temperature around the object at all times. Image data obtained by photographing are compressed by the video transmitter 25 and the compressed data are sent to the traffic information display device via the base station and displayed on the display device.



COPYRIGHT: (C)1999, JPO

### **Generate Collection**

# Search Results - Record(s) 11 through 14 of 14 returned.

☐ 11. Document ID: US 5412573 A

L20: Entry 11 of 14

File: USPT

May 2, 1995

US-PAT-NO: 5412573

DOCUMENT-IDENTIFIER: US 5412573 A

TITLE: Multi-mode route guidance system and method therefor

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMC | Draw Desc | Image

☐ 12. Document ID: JP 09252260 A

L20: Entry 12 of 14 File: JPAB

Sep 22, 1997

PUB-NO: JP409252260A

DOCUMENT-IDENTIFIER: JP 09252260 A

TITLE: TRAFFIC INFORMATION DISPLAY SYSTEM

Full Title Citation Front Review Classification Date Reference Claims KWIC Draw Desc Clip Img Image

13. Document ID: JP 11312295 A

L20: Entry 13 of 14

File: DWPI

Nov 9, 1999

DERWENT-ACC-NO: 2000-049219

DERWENT-WEEK: 200006

COPYRIGHT 2001 DERWENT INFORMATION LTD

TITLE: Traffic information data management procedure for digital map - involves connecting display unit to server such that it does not transmit demand signal to server when

updation of data of display unit is performed

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw, Desc | Clip Img | Image

14. Document ID: JP 09044791 A

L20: Entry 14 of 14 File: DWPI

Feb 14, 1997

DERWENT-ACC-NO: 1997-184718

DERWENT-WEEK: 199717

COPYRIGHT 2001 DERWENT INFORMATION LTD

TITLE: Vehicle navigation apparatus - has decision circuit determining if particular route is passable based on newest traffic information and road map database and showing reason for impassability of route through display device

Full Title Citation Front Review Classification Date Reference Claims KWC Draw. Desc Clip Img Image

#### **Generate Collection**

Term	Documents
TRAFFIC\$1	0
TRAFFIC.DWPI,TDBD,EPAB,JPAB,USPT.	85604
TRAFFICA.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICE.DWPI,TDBD,EPAB,JPAB,USPT.	200
TRAFFICH.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICI.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICK.DWPI,TDBD,EPAB,JPAB,USPT.	4
TRAFFICM.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICO.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICS.DWPI,TDBD,EPAB,JPAB,USPT.	432
(L19 AND ((TRAFFIC\$1) NEAR7 (SERVER\$1 OR	14
DATABASE\$1)) ).USPT,JPAB,EPAB,DWPI,TDBD.	

There are more results than shown above. Click here to view the entire set.

Display 10 Documents, starting with Document: 14

Display Format: TI Change Format

DB Name	Query	Hit Count	Set Name
USPT,JPAB,EPAB,DWPI,TDBD	123 and (camera\$1 or ccd\$1)	0	<u>L26</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and camera\$1 or ccd\$1	76048	<u>L25</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (speed\$3 or velocity)	1	<u>L24</u>
USPT,JPAB,EPAB,DWPI,TDBD	5987374.pn.	2	<u>L23</u>
USPT,JPAB,EPAB,DWPI,TDBD	l21 and ((map\$1) near7 (server\$1 or database\$1))	12	<u>L22</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and ((traffic\$1) near7 (server\$1 or database\$1))	48	<u>L21</u>
USPT,JPAB,EPAB,DWPI,TDBD	119 and ((traffic\$1) near7 (server\$1 or database\$1))	14	<u>L20</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and ((map\$1) near7 (server\$1 or database\$1))	43	<u>L19</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near7 (server\$1 or database\$1))	2	<u>L18</u>
USPT,JPAB,EPAB,DWPI,TDBD	l16 and ((map\$1) near4 (server\$1 or database\$1))	1	<u>L17</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (camera or ccd\$1)	64	<u>L16</u>
USPT,JPAB,EPAB,DWPI,TDBD	114 and (camera or ccd\$1)	5	<u>L15</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (request\$3 near4 traffic near3 information\$1)	31	<u>L14</u>
USPT,JPAB,EPAB,DWPI,TDBD	111 and display\$3	534	<u>L13</u>
USPT	111 and display\$3	361	<u>L12</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and transmi\$5	534	<u>L11</u>
USPT,JPAB,EPAB,DWPI,TDBD	19 and ((display\$3) near7 (traffic information\$1 or text\$1 or image\$ or message\$1))	1047	<u>L10</u>
USPT,JPAB,EPAB,DWPI,TDBD	traffic information\$1	4124	<u>L9</u>
USPT	11 and display\$3	1	<u>L8</u>
USPT	16 and (traffic\$1 condition\$1)	1	<u>L7</u>
USPT	11 and (mobil\$1 unit\$1)	1	<u>L6</u>
USPT	14 and request\$3	1	<u>L5</u>
USPT	11 and monitor\$3	1	<u>L4</u>
USPT	11 and (ccd or camera\$1)	0	<u>L3</u>
USPT	11 and (ccd or camera)	0	<u>L2</u>
USPT	5959577.pn.	1	<u>L1</u>



### WEST

Help Logout Interrupt

Main Menu | Search Form | Posting Counts | Show S Numbers | Edit S Numbers | Preferences

#### Search Results -

Term	Documents
TRAFFIC\$1	0
TRAFFIC.DWPI,TDBD,EPAB,JPAB,USPT.	85604
TRAFFICA.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICE.DWPI,TDBD,EPAB,JPAB,USPT.	200
TRAFFICH.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICI.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICK.DWPI,TDBD,EPAB,JPAB,USPT.	4
TRAFFICM.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICO.DWPI,TDBD,EPAB,JPAB,USPT.	1
TRAFFICS.DWPI,TDBD,EPAB,JPAB,USPT.	432
(L29 AND TRAFFIC\$1 ).USPT,JPAB,EPAB,DWPI,TDBD.	1

There are more results than shown above. Click here to view the entire set.

US Patents Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Database:

L29 AND TRAFFIC\$1

Refine Search: 

Clear


Search History

Today's Date: 1/3/2001

<b>DB Name</b>	<u>Query</u>	Hit Count	Set Name
USPT,JPAB,EPAB,DWPI,TDBD	L29 AND TRAFFIC\$1	1	<u>L30</u>
USPT,JPAB,EPAB,DWPI,TDBD	128 and locat\$3	1	<u>L29</u>
USPT,JPAB,EPAB,DWPI,TDBD	127 and database\$1	1	<u>L28</u>

USPT,JPAB,EPAB,DWPI,TDBD	<pre>11 and (map\$4 or traffic\$1)</pre>	1	<u>L27</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (camera\$1 or ccd\$1)	0	<u>L26</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and camera\$1 or ccd\$1	76048	<u>L25</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (speed\$3 or velocity)	1	<u>L24</u>
USPT,JPAB,EPAB,DWPI,TDBD	5987374.pn.	2	<u>L23</u>
USPT,JPAB,EPAB,DWPI,TDBD	l21 and ((map\$1) near7 (server\$1 or database\$1))	12	<u>L22</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and ((traffic\$1) near7 (server\$1 or database\$1))	48	<u>L21</u>
USPT,JPAB,EPAB,DWPI,TDBD	119 and ((traffic\$1) near7 (server\$1 or database\$1))	14	<u>L20</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and ((map\$1) near7 (server\$1 or database\$1))	43	<u>L19</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near7 (server\$1 or database\$1))	2	<u>L18</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near4 (server\$1 or database\$1))	1	<u>L17</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (camera or ccd\$1)	64	<u>L16</u>
USPT,JPAB,EPAB,DWPI,TDBD	114 and (camera or ccd\$1)	5	<u>L15</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (request\$3 near4 traffic near3 information\$1)	31	<u>L14</u>
USPT,JPAB,EPAB,DWPI,TDBD	111 and display\$3	534	<u>L13</u>
USPT	111 and display\$3	361	<u>L12</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and transmi\$5	534	<u>L11</u>
USPT,JPAB,EPAB,DWPI,TDBD	19 and ((display\$3) near7 (traffic information\$1 or text\$1 or image\$ or message\$1))	1047	<u>L10</u>
USPT,JPAB,EPAB,DWPI,TDBD	traffic information\$1	4124	<u>L9</u>
USPT	11 and display\$3	1	<u>L8</u>
USPT	16 and (traffic\$1 condition\$1)	1	<u>L7</u>
USPT	11 and (mobil\$1 unit\$1)	1	<u>L6</u>
USPT	14 and request\$3	1	<u>L5</u>
USPT	11 and monitor\$3	1	<u>L4</u>
USPT	11 and (ccd or camera\$1)	0	<u>L3</u>
USPT	11 and (ccd or camera)	0	<u>L2</u>
USPT	5959577.pn.	1 -	<u>L1</u>

Main Menu



Search Results -

Help

Search Form

Search Results -			
Term	Documents		
TRAFFIC\$1	0		
TRAFFIC.DWPI,TDBD,EPAB,JPAB,USPT.	85604		
TRAFFICA.DWPI,TDBD,EPAB,JPAB,USPT.	1		
TRAFFICE.DWPI,TDBD,EPAB,JPAB,USPT.	200		
TRAFFICH.DWPI,TDBD,EPAB,JPAB,USPT.	1		
TRAFFICI.DWPI,TDBD,EPAB,JPAB,USPT.	1		
TRAFFICK.DWPI,TDBD,EPAB,JPAB,USPT.	4		
TRAFFICM.DWPI,TDBD,EPAB,JPAB,USPT.	1		
TRAFFICO.DWPI,TDBD,EPAB,JPAB,USPT.	1		
TRAFFICS.DWPI,TDBD,EPAB,JPAB,USPT.	432		
(L29 AND TRAFFIC\$1 ).USPT,JPAB,EPAB,DWPI,TDBD.	1		

There are more results than shown above. Click here to view the entire set.

US Patents Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Database:

L29 AND TRAFFIC\$1 Clear Refine Search:

**Search History** 

Today's Date: 1/3/2001

**Hit Count Set Name** Query **DB Name** 1 L30 L29 AND TRAFFIC\$1 USPT, JPAB, EPAB, DWPI, TDBD L29 1 128 and locat\$3 USPT, JPAB, EPAB, DWPI, TDBD L28 1 127 and database\$1 USPT, JPAB, EPAB, DWPI, TDBD

USPT,JPAB,EPAB,DWPI,TDBD	11 and (map\$4 or traffic\$1)	1	<u>L27</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (camera\$1 or ccd\$1)	0 .	<u>L26</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and camera\$1 or ccd\$1	76048	<u>L25</u>
USPT,JPAB,EPAB,DWPI,TDBD	123 and (speed\$3 or velocity)	1	<u>L24</u>
USPT,JPAB,EPAB,DWPI,TDBD	5987374.pn.	2	<u>L23</u>
USPT,JPAB,EPAB,DWPI,TDBD	<pre>121 and ((map\$1) near7 (server\$1 or</pre>	12	<u>L22</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and ((traffic\$1) near7 (server\$1 or database\$1))	48	<u>L21</u>
USPT,JPAB,EPAB,DWPI,TDBD	119 and ((traffic\$1) near7 (server\$1 or database\$1))	14	<u>L20</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and ((map\$1) near7 (server\$1 or database\$1))	43	<u>L19</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near7 (server\$1 or database\$1))	2	<u>L18</u>
USPT,JPAB,EPAB,DWPI,TDBD	116 and ((map\$1) near4 (server\$1 or database\$1))	1	<u>L17</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (camera or ccd\$1)	64	<u>L16</u>
USPT,JPAB,EPAB,DWPI,TDBD	114 and (camera or ccd\$1)	5	<u>L15</u>
USPT,JPAB,EPAB,DWPI,TDBD	113 and (request\$3 near4 traffic near3 information\$1)	31	<u>L14</u>
USPT,JPAB,EPAB,DWPI,TDBD	111 and display\$3	534	<u>L13</u>
USPT	111 and display\$3	361	<u>L12</u>
USPT,JPAB,EPAB,DWPI,TDBD	110 and transmi\$5	534	<u>L11</u>
USPT,JPAB,EPAB,DWPI,TDBD	19 and ((display\$3) near7 (traffic information\$1 or text\$1 or image\$ or message\$1))	1047	<u>L10</u>
USPT,JPAB,EPAB,DWPI,TDBD	traffic information\$1	4124	<u>L9</u>
USPT	11 and display\$3	1	<u>L8</u>
USPT	16 and (traffic\$1 condition\$1)	1	<u>L7</u>
USPT	11 and (mobil\$1 unit\$1)	1	<u>L6</u>
USPT	14 and request\$3	1	<u>L5</u>
USPT	11 and monitor\$3	1	<u>L4</u>
USPT	11 and (ccd or camera\$1)	0	<u>L3</u>
USPT	11 and (ccd or camera)	0	<u>L2</u>
USPT	5959577.pn.	1	<u>L1</u>